ᑲᑐᑎᓗᒍ ᓄᓇᕗᑦ ᐱᕈᖅᐸᓕᐊᑎᓪᓗᒍ
Building Nunavut Together
Nunavuliuqatigiingniq
Bâtir le Nunavut ensemble

# Public Health Advisory

## Boil Water Advisory – Baker Lake

**June 14, 2017**
**Baker Lake, NU**

The Department of Health is issuing a boil water advisory for the Hamlet of Baker Lake.

This is a precautionary measure due to high turbidity (cloudy water) levels.

During a boil water advisory, all water for consumption must be brought to a rolling boil for a **minimum** of one full minute.

It is essential that all water be boiled for the following uses:

- drinking;
- preparing infant formulas;
- preparing juices and ice cubes;
- washing fruits and vegetables;
- cooking; or
- brushing of teeth.

Water can be boiled either in a pot or kettle on a stove or an electric kettle without an automatic shut-off.

It is not necessary to boil water used for anything other than the above list.

###

**Media Contact:**
Ron Wassink
Communications Specialist
Department of Health
867-975-5710
rwassink@gov.nu.ca

ᐱᕙᓪᓕᐊᔪᑦ ᑐᓴᒐᒃᓴᙳᖅᑎᑕᐅᔪᑦ ᐱᔭᐅᔪᓐᓇᖅᑕᖅᑐᑦ ᐃᓄᒃᑎᑑᖓᓗᑎᒃ, ᖃᓪᓗᓈᑎᑐᑦ, ᐃᓄᐃᓐᓇᖅᑐᓐ ᐅᐃᕖᑎᑐᓪᓗ ᐅᕙᓂ,
*www.gov.nu.ca*
News releases are available in Inuktitut, English, Inuinnaqtun and French on *www.gov.nu.ca*.
Tuhaqtaghat ittut Inuktitut, Qablunaatitut, Inuinnaqtun Uiviititullu talvani *www.gov.nu.ca*.
Les communiqués de presse sont disponibles en inuktitut, en anglais, en inuinnaqtun et en français à : *www.gov.nu.ca*.

Communications